

Notice of Allowability

Application No.

09/765,860

Examiner

Sy D. Luu

Applicant(s)

FARAGO ET AL.

Art Unit

2174

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- 1. This communication is responsive to the communications filed 9/21/2006.
- 2. The allowed claim(s) is/are 1-18.
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 - 1. Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No. _____.
 - 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

- 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 - 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
- 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. Notice of References Cited (PTO-892)
- 2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date _____
- 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 5. Notice of Informal Patent Application
- 6. Interview Summary (PTO-413), Paper No./Mail Date _____
- 7. Examiner's Amendment/Comment
- 8. Examiner's Statement of Reasons for Allowance
- 9. Other _____


SY D-LUU
PRIMARY PATENT EXAMINER

Statement of Reasons for Allowance

1. Claims 1-18 are allowed.
2. The following is an examiner's statement of reasons for allowance.

Claims 1, 9 and 14 recite, or similarly recite, a method of remotely monitoring electrical power in an electrical circuit, comprising:

coupling a power meter in a switchgear to an electrical circuit for sensing power-related signals in said electrical circuit and generating power-related information based on said power-related signals;

connecting a metering display that is remote from said power meter to said power meter, said remote metering display including: a display screen for presenting, without user interaction, some of said power-related information when said display screen is powered on; a plurality of user interface buttons for navigating through menu options; for accessing said power-related information by navigating through menu options; and a motion sensor for powering on the display screen in response to detection of a person's presence within a predetermined distance of said remote metering display;

accessing said power-related information by navigating through menu options on said display screen; and viewing from said distance at least some of said power-related information.

The closest prior art, Alexander et al. (US 6,038,516) and Lignoul et al. (US 6,374,145 B1), Takase et al. (US 6,504,534 B1), Lee (US 6,076,169) and Sorensen (US 6,598,226), show a substantially similar method for monitoring electrical power remotely. However, all applied prior art, singularly or in combination, still fail to anticipate or render the above cited limitations obvious.

Art Unit: 2174

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Inquires

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sy Luu whose telephone number is (571) 272-4064. The examiner can normally be reached on Monday - Friday from 7:300 am to 4:00 pm (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine Kincaid, can be reached on (571) 272-4063.

The fax number for the organization where this application or proceeding is assigned is (571) 273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



SY D. LUU
PRIMARY EXAMINER
ART UNIT 2174